

AENOR

Certificate of conformity Plastics

001/006646

AENOR certifies that the organization

HELIROMA PLASTICOS, S.A.

registered office ZONA INDUSTRIAL, EN-1 / IC-2, KM 250,5
3850-184 ALBERGARIA-A-VELHA (Portugal)

supplies Polypropylene random with modified cristallinity pipes (PP-RCT) and
glass fiber (PP-RCT)/PP-RCT+GF /PP-RCT) for installation of hot and cold
water inside the building structure

in compliance with TECHNICAL SPECIFICATION TO RP 001.78

DESCRIPTION Trademark: ROMAKLIMA CT
Fiberglass content: 6%
Fiberglass content of the middle layer: 17%

See annex for more information.

Production site ZONA INDUSTRIAL, EN-1 / IC-2, KM 250,5
3850-184 ALBERGARIA-A-VELHA (Portugal)

Certification scheme In order to grant this Certificate, AENOR has tested the product and has
verified the quality system implemented for its manufacture. AENOR
performs these tasks periodically while the Certificate has not been
cancelled, in accordance with Specific Rules RP 01.78.

This certificate supersedes 001/006646, dated 2017-11-24

First issued on 2016-11-07
Modified on 2018-05-09
Validity date 2021-11-07



Rafael GARCÍA MEIRO
Chief Executive Officer

AENOR

Certificate of conformity Plastics

001/006646

Annex to Certificate

DESCRIPTION Trademark: ROMAKLIMA CT
Fiberglass content: 6%
Fiberglass content of the middle layer: 17%

SERIE	DIAMETERS (mm)	APPLICATION CLASS / DESIGN PRESSURE (bar)	OPACITY
8,0	125 - 160 - 200 - 250 - 315 - 355 - 400	1/4 ; 2/4 ; 4/4	Yes

First issued on 2016-11-07
Modified on 2018-05-09
Validity date 2021-11-07

Original Electronic Certificate

AENOR INTERNACIONAL S.A.U.
Génova, 6. 28004 Madrid. España
Tel. 91 432 60 00.- www.aenor.com