

BULGARKONTROLA S.A.

Established in 1952,



**QUALITY AND QUANTITY SURVEYS, LABORATORY ANALYSES
P&I CORRESPONDENT, SURVEY & CLAIM SETTLING AGENT
HULL & MACHINERY SURVEYS, CONFORMITY ASSESSMENT,
QUALITY MANAGEMENT SYSTEMS**

Certificate of approval №368056 ISO 9001 by Lloyd's Register Quality Assurance,
Member of: EI - London, GAFTA - London, FOSFA - London

Head office: 42, Parchevich Str., 1080 Sofia, Bulgaria, POBox 106

Emergency mobile +359 889 400 400, Tel. +359 2 989 4070, Fax: +359 2 988 2354, 980 5133

E-mail: sales@bulgarkontrola.bg, cert@bulgarkontrola.bg Web: www.bulgarkontrola.bg

CERTIFICATE OF CONFORMITY 010 - НСИСОСП- 754

In accordance with part III of Ordinance with the essential buildings' requirements and conformity assessment of construction products (State Gazette 106/2006) it has been stated that the construction products

PIPES MADE OF POLYPROPYLENE RANDOM PP-R (colour grey and green)

are designed for construction of hot and cold drinking water supply systems inside buildings,
with operating pressure and dimensions as per Supplement № 1 to this Certificate.

PLACED ON THE MARKET BY

"HELIROMA- PLASTICOS
3850 – 184 Albergaria – Velha , PORTUGAL

MANUFACTURED BY

"HELIROMA - PLASTICOS
3850 – 184 Albergaria – Velha , PORTUGAL

are manufactured under the conditions of introduced by the manufacturer system for production control and are submitted by the manufacturer to ongoing testing of test specimens in accordance with a prescribed test plan.

The Conformity Assessment Directorate at Bulgarkontrola S.A. has performed initial type-testing, initial inspection of the production control and performs continuous surveillance, assessment and approval of the production control.

This Certificate attests that all provisions concerning the conformity assessment of the construction product and the requirements of

BDS EN ISO 15874-1:2006


BDS EN ISO 15874-2: 2006

were applied and fulfilled and that the product conforms to all prescribed requirements.

This certificate was first issued on 01/11/2007 and remains valid as long as the conditions laid down in the technical specification are fulfilled and the production conditions or the production control are not modified significantly.

01/11/2007
Sofia

EXECUTIVE DIRECTOR :


/ Nikolay Atanasov /

BULGARKONTROLA

Supervisors Company

Bulgaria = SOFIA

BULGARKONTROLA S.A. – Sofia with identification number 010

Permit №07/09.05.2005, issued by MRRB



Supplement № 1
to Certificate of Conformity № 010 – НСИСОСП - 754

PRODUCT RANGE	DIMENSIONS D/mm	PN / bar
PIPE for cold water	20 ÷ 125	PN 10
PIPE for hot and cold water	20 ÷ 110	PN 16
PIPE for hot water	20 ÷ 110	PN 20

01/11/2007
Sofia

EXECUTIVE DIRECTOR :

/ Nikolay Atanasov /

BULGARKONTROLA
Superintendence Company
Bulgaria - SOFIA