

AENOR


Certificate of conformity Plastics

001/006015

AENOR certifies that the organization

HELIROMA PLASTICOS, S.A.

registered office	ZONA INDUSTRIAL, EN-1 / IC-2, KM 250,5 3850-184 ALBERGARIA-A-VELHA (Portugal)
supplies	Polypropylene pipes (PP-R) / polypropylene + glass fiber (PP-R + FV) / polypropylene (PP-R) for installation of hot and cold water inside the building structure
in compliance with	ESPECIFICACIÓN TÉCNICA AL RP 01.72
Description	Trademark: ROMAFASER Fiberglass content: 6% Fiberglass content of the middle layer: 17%
Serie	3,2
Diameters (mm)	20 - 25 - 32 - 40 - 50 - 63 - 75 - 90 - 110 - 125 - 160 - 250
Application class / Design pressure (bar)	1/8 ; 2/6 ; 4/10 ; 5/6
Opacity	Yes
Production site	ZONA INDUSTRIAL, EN-1 / IC-2, KM 250,5 3850-184 ALBERGARIA-A-VELHA (Portugal)
Certification scheme	In order to grant this Certificate, AENOR has tested the product and has verified the quality system implemented for its manufacture. AENOR performs these tasks periodically while the Certificate has not been cancelled, in accordance with Specific Rules RP 001.72.
This certificate supersedes 001/006015, dated 2017-11-24	
First issued on	2013-05-24
Modified on	2018-05-09
Validity date	2021-12-19



Rafael GARCÍA MEIRO
Chief Executive Officer

Original Electronic Certificate